

Product datasheet

Specifications



remote terminal, Altivar, for variable speed drive, IP54

VW3A1006

Main

Range of product Altivar

Accessory / separate part type Remote terminal

Accessory / separate part category Display and signalling accessory

Accessory / separate part destination Variable speed drive

Range compatibility
Altivar Machine ATV320
Altivar 32
Altivar 12
Easy Altivar 310
Altivar 312 Solar
Altivar 312

IP degree of protection IP54

Complementary

Mounting location Door of enclosure

Net weight 0.25 kg

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 4.6 cm

Package 1 Width 6.7 cm

Package 1 Length 8.7 cm

Package 1 Weight 66.0 g

Unit Type of Package 2 S03

Number of Units in Package 2 90

Package 2 Height 30.0 cm

Package 2 Width 30.0 cm

Package 2 Length 40.0 cm

Package 2 Weight 6.725 kg


Offer Sustainability

REACH Regulation	REACH Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	China RoHS declaration
RoHS exemption information	Yes

Contractual warranty

Warranty	18 months
-----------------	-----------

Dimensions



Recommended replacement(s)