

Product data sheet

Specifications



Telemecanique Safety light curtains XUSL, Curved bracket, 4 fixing brackets set

XUSZBSC4

Main

Range of product Telemecanique Safety light curtains XUSL

Accessory / separate part category Mounting and fixing accessories

Accessory / separate part type Curved fixing bracket

Product compatibility XUSL2E
XUSL4E

Accessory / separate part destination Safety light curtain type 2
Safety light curtain type 4

Complementary

Kit composition 4 x curved bracket(s)

Net weight 0.2 kg

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 6.600 cm

Package 1 Width 10.000 cm

Package 1 Length 17.000 cm

Package 1 Weight 296.000 g

Unit Type of Package 2 S02

Number of Units in Package 2 10

Package 2 Height 15.000 cm

Package 2 Width 30.000 cm

Package 2 Length 40.000 cm

Package 2 Weight 3.275 kg

Offer Sustainability


Sustainable offer status Green Premium product

REACH Regulation [REACH Declaration](#)


REACH free of SVHC Yes

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California proposition 65	WARNING: This product can expose you to chemicals including: Diisobutyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Dimensions



Mounting and Clearance



- (1) Insert
- (2) Curve bracket
- (3) Plate
- (4) Washer
- (5) Spring washer
- (6) Nut

Recommended replacement(s)