

# Product data sheet

Specifications



Pre wired connectors XZ, elbowed female, M8, 3 pins, cable PVC 10 m

XZCPV0666L10

## Main

**Range of product** Telemecanique Cabling components

**Accessory / separate part category** Cabling accessory

**Accessory / separate part type** Pre-wired connectors

**Series name** General purpose

## Complementary

**Electrical connection** Elbowed female connector M8, 3 pins

**Cable connector fixing** Screw-on

**Collar material** Metal

**Status LED** Without

**Cable length** 10 m

**Cable outer diameter** 4.6 mm

**Cable composition** 3 x 0.25 mm<sup>2</sup>

**Wire insulation material** PVC

**[Ue] rated operational voltage** 60 V AC  
75 V DC

**[In] rated current** 3 A

**Contact resistance** 5000 µOhm

**Minimum insulating resistance** 1 GΩ

**Net weight** 0.326 kg

## Environment

**IP degree of protection** IP67  
IP65

**Product certifications** cULus

**Ambient air temperature for operation** -25...80 °C static

**Ambient air temperature for storage** -25...80 °C

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3 cm
Package 1 Width	20 cm
Package 1 Length	20 cm
Package 1 Weight	295 g
Unit Type of Package 2	S02
Number of Units in Package 2	10
Package 2 Height	15 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	3.24 kg
Package 3 Height	15.0 cm

## Offer Sustainability


REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
California proposition 65	WARNING: This product can expose you to chemicals including: Diisobutyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isooctyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="#">www.P65Warnings.ca.gov</a>

## Contractual warranty

Warranty	18 months
----------	-----------

Dimensions

---




L : Length of cable

### Connections and Schemes

---

#### Connector



**BU** : Blue  
**BN** : Brown  
**BK** : Black

#### Recommended replacement(s)